


2019 LEAD EXPOSURE DATA BRIEF FOR THE SOUTH CENTRAL REGION

Lead poisoning is entirely preventable. However, nearly 1 million children living in the United States have blood levels high enough to impair their ability to think, learn, and concentrate.


In 2019, 15 children (0 – 72 months old) in the South Central Region were identified with elevated blood lead levels of 5 ug/dL or higher.

Annual Number (and Percent) of Children, 0 to 72 Months Old, Tested for Blood Lead in the South Central Region 2015 – 2019




Percent of Children Tested per New Hampshire Screening and Management Guidelines

Percent of One-Year-Old Children Tested for Blood Lead



In 2019, 67.7% of one year-old (12–23 month-old) children residing in the South Central Region were tested for lead in their blood (905 of an estimated 1,337 children).

Percent of Two-Year-Old Children Tested for Blood Lead



In 2019, 62.5% of two year-old (24–35 month-old) children residing in the South Central Region were tested for lead in their blood (853 of an estimated 1,364 children).

In 2018, New Hampshire passed a state law requiring providers to conduct blood lead level tests for all one and two year-old children.

Childhood Lead Exposure by Town, 2019

TOWN	AGE GROUP (IN MONTHS)	POPULATION DPHS ESTIMATE 2018	NUMBER TESTED 2019	PERCENT TESTED (%) 2019	NUMBER WITH EBLL 5+ ug/dL 2019 ONLY	NUMBER WITH EBLL 5+ ug/dL 2015–2019	NUMBER WITH EBLL 10+ ug/dL VENOUS TESTS 2015–2019
ATKINSON	0 to 72	295	104	35	1 – 4	5	0
	12 to 23	51	36	71	1 – 4	1 – 4	0
	24 to 35	45	37	82	1 – 4	1 – 4	0
CHESTER	0 to 72	258	73	28	1 – 4	1 – 4	0
	12 to 23	38	28	74	1 – 4	1 – 4	0
	24 to 35	37	37	100	0	0	0
DANVILLE	0 to 72	215	82	38	0	1 – 4	0
	12 to 23	42	34	81	0	1 – 4	0
	24 to 35	37	32	86	0	1 – 4	0
DERRY	0 to 72	2098	562	27	6	25	1 – 4
	12 to 23	354	236	67	1 – 4	11	1 – 4
	24 to 35	366	220	60	1 – 4	6	1 – 4
HAMPSTEAD	0 to 72	421	128	30	1 – 4	7	0
	12 to 23	74	53	72	0	1 – 4	0
	24 to 35	61	44	72	0	1 – 4	0
LONDONDERRY	0 to 72	1444	405	28	0	5	0
	12 to 23	232	190	82	0	1 – 4	0
	24 to 35	219	164	75	0	0	0
PLAISTOW	0 to 72	447	160	36	1 – 4	9	0
	12 to 23	78	68	87	1 – 4	1 – 4	0
	24 to 35	81	47	58	1 – 4	1 – 4	0
SALEM	0 to 72	1548	446	29	0	7	1 – 4
	12 to 23	235	111	47	0	1 – 4	0
	24 to 35	292	139	48	0	1 – 4	0
SANDOWN	0 to 72	381	126	33	1 – 4	1 – 4	0
	12 to 23	55	55	100	0	1 – 4	0
	24 to 35	66	46	70	0	1 – 4	0
WINDHAM	0 to 72	1102	236	21	1 – 4	1 – 4	1 – 4
	12 to 23	178	94	53	0	0	0
	24 to 35	160	87	54	1 – 4	1 – 4	1 – 4
SOUTH CENTRAL	0 to 72	8209	2322	28	15	70	6
	12 to 23	1337	905	68	7	28	1 – 4
	24 to 35	1364	853	62	1 – 4	21	1 – 4

Childhood blood lead test data is from the NH Healthy Homes Childhood Lead Poisoning Prevention Program. Elevated blood lead levels (EBLL) 5+ ug/dL is defined as a venous or capillary blood test with a result of 5 micrograms per deciliter (ug/dL) or higher. Exact numbers or percents cannot be reported when there are 1–4 cases due to suppression guidelines to protect privacy.


Childhood Lead Risk Factors by Town

TOWN	POPULATION UNDER 6 YO PERCENT (%)	HOUSING UNITS BUILT PRE-1950 PERCENT (%)	HOUSEHOLDS MOVED IN LAST YEAR PERCENT (%)	RENTED HOUSING UNITS W/ CHILDREN UNDER 6 YO PERCENT (%)	UNDER 6 YO LIVING BELOW FED. POVERTY LEVEL PERCENT (%)	UNDER 6 YO IN WITH NO HEALTH INSURANCE PERCENT (%)
ATKINSON	3.2	7	1.5	0	0	0
CHESTER	6.6	16	2.5	0	0	0
DANVILLE	3.9	8	1.7	28	0	24
DERRY	5.4	16	3.9	39	13.7	1.7
HAMPSTEAD	5.1	12	5.1	37	28.6	16.4
LONDONDERRY	5.5	5	2.7	21	4.3	2
PLAISTOW	4.3	12	4.3	8	0	0
SALEM	5.9	9	3.4	42	12.2	0.6
SANDOWN	7.4	8	2.1	18	5.5	0
WINDHAM	5.9	7	2	11	0	1.9
SOUTH CENTRAL	5.5	10	3.2	27	8.6	2.6

Risk factor data is from the American Community Survey (ACS), 5-Year Estimate Data (2014–2018). Percent of renters with children under 6 yo was calculated from housing units with known occupancy status and known age of occupants. Under 6 yo living below federal poverty level was calculated from the number of children in households with income less than the federal poverty level for whom poverty status was determined. Note, percentages for smaller towns may have a large error.

Childhood Lead Exposure

Annual Number of Children 0 to 72 Months Old with Test Above the National Reference Level (5+ ug/dL) or Entering Case Management (10+ ug/dL) South Central Region 2015 – 2019



It only takes a speck of lead dust the size of a grain of salt to poison a child

Number of Children 0 to 72 Months Old with Elevated Blood Lead Levels 5+ ug/dL by Town (or Census Tract) in the South Central Region, 2015–2019

